

Contents

Sedimentary Geology, Volume 67, 1990

ExpresSed

- Storm deposits from the Quaternary Outardes delta, Quebec, Canada
B.S. Hart and B.F. Long (Riomouski, Qué., Canada) 1

Research Papers

- Miocene lacustrine algal reefs—southwestern Snake River Plain, Idaho
F.G. Straccia, B.H. Wilkinson and G.R. Smith (Ann Arbor, Mich., U.S.A.) 7
- Significance of lamination in Toarcian (Lower Jurassic) shales from Yorkshire, Great Britain
N.R. O'Brien (Potsdam, N.Y., U.S.A.) 25
- Provenance mixing in an intraoceanic subduction zone: Tonga Trench–Louisville Ridge collision zone, southwest Pacific
P.A. Cawood (St. John's, Nfld., Canada) 35
- Depositional architecture of a maar-pitted playa: sedimentation in the Hopi Buttes volcanic field, northeastern Arizona, U.S.A.
J.D.L. White (Santa Barbara, Calif., U.S.A.) 55
- Plate tectonics and pelagic facies: Late Jurassic to Early Cretaceous deep-sea sedimentation of the Ybbsitz ophiolite unit (Eastern Alps, Austria)
K. Decker (Tübingen, F.R.G.) 85
- The late Proterozoic Amis River Formation of Namibia—a turbidite system developed by vertical accretion
R. Swart (Windhoek, Namibia) 101
- Fine-grained carbonates in nearly closed reef environments: Mataiva and Takapoto atolls, Central Pacific Ocean
A. Adjias, J.-P. Masse and L.F. Montaggioni (Marseille, France) 115
- Internal structures of sandwaves in a tide–storm interactive system: Proterozoic Lower Quartzite Formation, India
C. Chakraborty and P.K. Bose (Calcutta, India) 133
- Carbonate platform, lagoon and delta “high-frequency” cycles from the Carnian of Lombardy (Southern Alps, Italy)
M. Gnaccolini and F. Jadoul (Milano, Italy) 143
- Alluvial lithofacies recognition in a humid-tropical setting
D.A. Darby, G.R. Whittecar, R.A. Barringer and J.R. Garrett (Norfolk, Va., U.S.A.) 161
- Modern alluvial fan and deltaic sedimentation in a foreland tectonic setting: the Lower Mesopotamian Plain and the Arabian Gulf
F. Baltzer and B.H. Purser (Orsay, France) 175
- The sedimentology and accretionary styles of an ancient gravel-bed stream: the Budleigh Salterton Pebble Beds (Lower Triassic), southwest England
S.A. Smith (Nottingham, U.K.) 199
- Coherence of surf zone and shelf current flow on the Texas (U.S.A.) coastal margin: implications for interpretation of paleo-current measurements in ancient coastal sequences
J.W. Snedden (Stavanger, Norway) and D. Nummedal (Baton Rouge, La., U.S.A.) 221
- Changes in paleocurrents during the development of an obliquely convergent plate boundary (Sulaiman fold-belt, southwestern Himalayas, west-central Pakistan)
A. Waheed and N.A. Wells (Kent, Ohio, U.S.A.) 237
- Facies patterns and subsidence history of the Jumilla–Cieza region (southeastern Spain)
J.A.M. Kenter, J.J.G. Reymer, H.C. van der Straaten and T. Peper (Amsterdam, The Netherlands) 263

Diagenesis of carbonate cements in Permo-Triassic sandstones from the Iberian Range, Spain: evidence from chemical composition and stable isotopes S. Morad (Uppsala, Sweden), I.S. Al-Aasm (Windsor, Ont., Canada), K. Ramseyer (Bern, Switzerland), R. Marfil (Madrid, Spain) and A.A. Aldahan (Uppsala, Sweden)	281
Paleoenvironment and sulfur-boron contents of the Mannville (Lower Cretaceous) coals of southern Alberta, Canada I. Banerjee and F. Goodarzi (Calgary, Alta., Canada)	297
Erratum	311

